ELSEVIER

Biomembranes

Vol. 1283, 1996

BBA Biochimica et Biophysica Acta

Author index

Anderson, G.M., Hall, L.M., Horne, W.C. and Yang, J.X.
Adenosine diphosphate inhibits the serotonin transporter (1283) 14
Arndt, D., see Zeisig, R. (1283) 177
Asami, K., see Nagaoka, Y. (1283) 31

Banni, S., see Ritov, V.B. (1283) 127
Battaglia, E., Nowell, S., Drake, R.R., Mizeracka, M., Berg, C.L., Magdalou, J., Fournel-Gigleux, S., Gollan, J.L., Lester, R. and Radominska, A.
Two kinetically-distinct components of UDP-glucuronic acid transport in rat liver endoplasmic reticulum (1283) 223
Berg, C.L., see Battaglia, E. (1283) 223
Bhattacharya, S. and Haldar, S.
The effects of cholesterol inclusion on the vesicular membranes of cationic lipids (1283) 21
Brown, B.J., Hilfiker, H., DeMarco, S.J., Zacharias, D.A., Greenwood, T.M., Guerini, D. and Strehler, E.E.
Primary structure of human plasma membrane Ca^{2+}-ATPase isoform 3 (1283) 10
Brumbaugh, E.E., see Lin, H.-n. (1283) 199

Carter, A., see Guo, Y. (1283) 4
Chia, N.-C. and Mendelsohn, R.
Conformational disorder in unsaturated phospholipids by FTIR spectroscopy (1283) 141
Claycamp, H.G., see Ritov, V.B. (1283) 127
Corongiu, F.P., see Ritov, V.B. (1283) 127
Cremaschi, D., Porta, C. and Ghirardelli, R.
The active transport of polypeptides in the rabbit nasal mucosa is supported by a specific vesicular transport inhibited by cytochalasin D (1283) 101
Cunniffe, J.G., see Sanderson, N.M. (1283) 207

Day, B.W., see Ritov, V.B. (1283) 127
De Kruijff, B., see Speelmans, G. (1283) 60
DeMarco, S.J., see Brown, B.J. (1283) 10
Doi, K., see Yamauchi, K. (1283) 163
Dow, J.A.T., see Guo, Y. (1283) 4
Drake, R.R., see Battaglia, E. (1283) 223

Eberhardson, M., Tengholm, A. and Grapengiesser, E.
The role of plasma membrane K^+ and Ca^{2+} permeabilities for glucose induction of slow Ca^{2+} oscillations in pancreatic β-cells (1283) 67
Eue, I., see Zeisig, R. (1283) 177

Fichtinger-Schepman, A.M.J., see Speelmans, G. (1283) 60
Fichtner, I., see Zeisig, R. (1283) 177
Fittabile, L., see Gliozzi, A. (1283) 1
Fournel-Gigleux, S., see Battaglia, E. (1283) 223
Fujita, T., see Nagaoka, Y. (1283) 31
Fujita, T., see Tanaka, K. (1283) 119

Gambacorta, A., see Gliozzi, A. (1283) 1
García-Martín, E., see Martín-Romero, F.J. (1283) 51
Ghirardelli, R., see Cremaschi, D. (1283) 101
Gliozzi, A., Robello, M., Fittabile, L., Relini, A. and Gambacorta, A.
Valinomycin acts as a channel in ultrathin lipid membranes (1283) 1
Gollan, J.L., see Battaglia, E. (1283) 223
Grapengiesser, E., see Eberhardson, M. (1283) 67
Greenwood, T.M., see Brown, B.J. (1283) 10
Grisel, R.J.H., see Speelmans, G. (1283) 60
Guerini, D., see Brown, B.J. (1283) 10
Guo, B., see Sanderson, N.M. (1283) 207
Guo, Y., Wang, Z., Carter, A., Kaiser, K. and Dow, J.A.T.
Characterisation of *vha*26, the *Drosophila* gene for a 26 kDa E-subunit of the vacuolar ATPase (1283) 4
Gutiérrez-Merino, C., see Martín-Romero, F.J. (1283) 51

Haldar, S., see Bhattacharya, S. (1283) 21
Hall, L.M., see Anderson, G.M. (1283) 14
Handley, P.S., see Sanderson, N.M. (1283) 207
Hartley, S.A. and Kozlowski, R.Z.
ATP increases Ca^{2+}-activated K^+ channel activity in isolated rat arterial smooth muscle cells (1283) 192
Heilmeyer, L.M.G., see Shoshan-Barmatz, V. (1283) 89
Hilfiker, H., see Brown, B.J. (1283) 10
Hoek, J.B., see Victorov, A.V. (1283) 151
Horne, W.C., see Anderson, G.M. (1283) 14
Huang, C., see Lin, H.-n. (1283) 199

Iida, A., see Nagaoka, Y. (1283) 31
Imanishi, Y., see Zhao, J. (1283) 37
Inui, K.-i., see Nabekura, T. (1283) 232
Ipsen, J.H., see Nielsen, M. (1283) 170
Iseki, K., see Naasani, I. (1283) 185

Jacob, A.E., see Sanderson, N.M. (1283) 207
Jones, M.N., see Sanderson, N.M. (1283) 207
Jørgensen, K., see Nielsen, M. (1283) 170
Juel, C.
Symmetry and pH dependency of the lactate/proton carrier in skeletal muscle studied with rat sarcolemmal giant vesicles (1283) 106

Kagan, V.E., see Ritov, V.B. (1283) 127
Kaiser, K., see Guo, Y. (1283) 4
Kambara, T., see Nagaoka, Y. (1283) 31
Kikuchi, T., see Naasani, I. (1283) 185
Kimura, S., see Zhao, J. (1283) 37
Kinoshita, M., see Yamauchi, K. (1283) 163
Kobayashi, M., see Naasani, I. (1283) 185
Komatsu, H. and Okada, S.
Ethanol-enhanced permeation of phosphatidylcholine/phosphatidylethanolamine mixed liposomal membranes due to ethanol-induced lateral phase separation (1283) 73
Kosch, M., see Zeisig, R. (1283) 177
Kozlowski, R.Z., see Hartley, S.A. (1283) 192

Lepock, J.R., see Ortega, A. (1283) 45
Lester, R., see Battaglia, E. (1283) 223
Li, S., see Lin, H.-n. (1283) 199
Lin, H.-n., Li, S., Wang, G., Brumbaugh, E.E. and Huang, C.
A calorimetric study of binary mixtures of saturated and monounsaturated mixed-chain phosphatidylethanolamines (1283) 199
Lin, S., see Xie, X. (1283) 111

Magdalou, J., see Battaglia, E. (1283) 223
Makriyannis, A., see Xie, X. (1283) 111
Martín-Romero, F.J., García-Martín, E. and Gutiérrez-Merino, C.
Inactivation of ecto-ATPase activity of rat brain synaptosomes (1283) 51
Mas-Oliva, J., see Ortega, A. (1283) 45
Mendelsohn, R., see Chia, N.-C. (1283) 141
Meyer, H., see Shoshan-Barmatz, V. (1283) 89
Miao, L., see Nielsen, M. (1283) 170
Miyazaki, K., see Naasani, I. (1283) 185
Mizeracka, M., see Battaglia, E. (1283) 223
Moring, J., see Xie, X. (1283) 111
Mouritsen, O.G., see Nielsen, M. (1283) 170
Murakami, M., see Tanaka, K. (1283) 119
Muranishi, S., see Tanaka, K. (1283) 119

Naasani, I., Kikuchi, T., Sugawara, M., Kobayashi, M., Iseki, K. and Miyazaki, K.
Solubilization and reconstitution characteristics of the carrier protein(s) responsible for the transport of ceftibuten, a substrate for the oligopeptide transporters, in rat renal brush-border membrane (1283) 185
Nabekura, T., Takano, M. and Inui, K.-i.
Cholesterol modulates organic cation transport activity and lipid fluidity in rat renal brush-border membranes (1283) 232
Nagaoka, Y., Iida, A., Kambara, T., Asami, K., Tachikawa, E. and Fujita, T.
Role of proline residue in the channel-forming and catecholamine-releasing activities of the peptaibol, trichosporin-B-VIa (1283) 31
Nielsen, M., Miao, L., Ipsen, J.H., Jørgensen, K., Zuckermann, M.J. and Mouritsen, O.G.
Model of a sub-main transition in phospholipid bilayers (1283) 170
Nowell, S., see Battaglia, E. (1283) 223

Ohlendieck, K.
Characterisation of the dystrophin-related protein utrophin in highly purified skeletal muscle sarcolemma vesicles (1283) 215
Okada, S., see Komatsu, H. (1283) 73
Orr, I. and Shoshan-Barmatz, V.
Modulation of the skeletal muscle ryanodine receptor by endogenous phosphorylation of 160/150-kDa proteins of the sarcoplasmic reticulum (1283) 80
Orr, I., see Shoshan-Barmatz, V. (1283) 89
Ortega, A., Santiago-García, J., Mas-Oliva, J. and Lepock, J.R.
Cholesterol increases the thermal stability of the Ca^{2+}/Mg^{2+}-ATPase of cardiac microsomes (1283) 45

Porta, C., see Cremaschi, D. (1283) 101

Radominska, A., see Battaglia, E. (1283) 223
Reedijk, J., see Speelmans, G. (1283) 60
Relini, A., see Gliozzi, A. (1283) 1
Ritov, V.B., Banni, S., Yalowich, J.C., Day, B.W., Claycamp, H.G., Corongiu, F.P. and Kagan, V.E.
Non-random peroxidation of different classes of membrane phospholipids in live cells detected by metabolically integrated *cis*-parinaric acid (1283) 127
Robello, M., see Gliozzi, A. (1283) 1

Sanderson, N.M., Guo, B., Jacob, A.E., Handley, P.S., Cunniffe, J.G. and Jones, M.N.
The interaction of cationic liposomes with the skin-associated bacterium *Staphylococcus epidermidis*: effects of ionic strength and temperature (1283) 207
Santiago-García, J., see Ortega, A. (1283) 45
Shoshan-Barmatz, V., Orr, I., Weil, S., Meyer, H., Varsanyi, M. and Heilmeyer, L.M.G.
The identification of the phosphorylated 150/160-kDa proteins of sarcoplasmic reticulum, their kinase and their association with the ryanodine receptor (1283) 89
Shoshan-Barmatz, V., see Orr, I. (1283) 80
Sips, W.H.H.M., see Speelmans, G. (1283) 60
Speelmans, G., Sips, W.H.H.M., Grisel, R.J.H., Staffhorst, R.W.H.M., Fichtinger-Schepman, A.M.J., Reedijk, J. and De Kruijff, B.
The interaction of the anti-cancer drug cisplatin with phospholipids is specific for negatively charged phospholipids and takes place at low chloride ion concentration (1283) 60
Staffhorst, R.W.H.M., see Speelmans, G. (1283) 60
Strehler, E.E., see Brown, B.J. (1283) 10
Sugawara, M., see Naasani, I. (1283) 185

Tachikawa, E., see Nagaoka, Y. (1283) 31
Takano, M., see Nabekura, T. (1283) 232
Tanaka, K., Fujita, T., Yamamoto, Y., Murakami, M., Yamamoto, A. and Muranishi, S.
Enhancement of intestinal transport of thyrotropin-releasing hormone via a carrier-mediated transport system by chemical modification with lauric acid (1283) 119
Taraschi, T.F., see Victorov, A.V. (1283) 151
Tengholm, A., see Eberhardson, M. (1283) 67

Varsanyi, M., see Shoshan-Barmatz, V. (1283) 89
Victorov, A.V., Taraschi, T.F. and Hoek, J.B.
Phosphatidylethanol as a ^{13}C-NMR probe for reporting packing constraints in phospholipid membranes (1283) 151

Wang, G., see Lin, H.-n. (1283) 199
Wang, Z., see Guo, Y. (1283) 4
Weil, S., see Shoshan-Barmatz, V. (1283) 89

Xie, X., Lin, S., Moring, J. and Makriyannis, A.
Interdigitation of bilayers from ether lipid analogs: (*R*)-PAF, (*R*)-Lyso-PAF and the antineoplastic (*R*)-ET-18-OMe (1283) 111

Yalowich, J.C., see Ritov, V.B. (1283) 127
Yamamoto, A., see Tanaka, K. (1283) 119
Yamamoto, Y., see Tanaka, K. (1283) 119
Yamauchi, K., Doi, K. and Kinoshita, M.
Archaebacterial lipid models: stable liposomes from 1-alkyl-2-phytanyl-*sn*-glycero-3-phosphocholines (1283) 163
Yang, J.X., see Anderson, G.M. (1283) 14

Zacharias, D.A., see Brown, B.J. (1283) 10
Zeisig, R., Eue, I., Kosch, M., Fichtner, I. and Arndt, D.
Preparation and properties of sterically stabilized hexadecylphosphocholine (miltefosine)-liposomes and influence of this modification on macrophage activation (1283) 177
Zhao, J., Kimura, S. and Imanishi, Y.
Fusion of liposomes due to transient and lasting perturbation induced by synthetic amphiphilic peptides (1283) 37
Zuckermann, M.J., see Nielsen, M. (1283) 170